This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A mobile communication apparatus comprising:

a card controller configured to control a card connected to the mobile communication apparatus, where the card controller reads out a first information from the card, said first information indicating a characteristic of a mobile network to which said card belongs;

an interface configured to receive second information broadcast from a mobile network in which said apparatus is located, said second information indicating a characteristic of said mobile network in which said apparatus is located; and

a memory, said memory storing a table identifying an operation to be performed by the mobile communication apparatus corresponding to the first and second information, wherein said apparatus is configured to set an operation to be performed by the mobile communication apparatus stored in the table based on a comparison of said first and second information, and wherein said table identifies a plurality of networks and one or more different call handling operations for each of said plurality of networks.

Claim 2 (original): The apparatus of claim 1, wherein the first and second information comprise a country code.

Claim 3 (previously presented): The apparatus of claim 1, wherein the memory comprises a removably connected integrated circuit.

Claims 4-25 (canceled)

Claim 26 (previously presented) The apparatus according to claim 1, wherein the first information is a country code of a home network of the mobile communication apparatus, and the table further stores a telephone number to which the operation applies.

Claim 27 (previously presented) The apparatus according to claim 1, further comprising a display that displays a roaming message if a country code in said first information does not coincide with a country code in said second information.

Claim 28 (previously presented) The apparatus according to claim 27, wherein the display displays caller ID from the mobile network in which said apparatus is located with the roaming message.

Claim 29 (previously presented) The apparatus according to claim 1, wherein the first information includes a country code and a network code of a home network of the mobile communication apparatus.

Claim 30 (previously presented) The apparatus according to claim 1, wherein the operation is at least one of accepting an incoming call, ignoring an incoming call, forwarding an incoming call to a voice mail service, and recording a voice mail on the mobile communication apparatus.

Claim 31 (previously presented) A mobile communication apparatus comprising:

a card controller configured to control a card connected to the mobile communication apparatus, where the card controller reads out first information from the card;

an interface configured to receive second information from a mobile network;

a memory, said memory storing a table identifying an incoming call handling operation to be performed by the mobile communication apparatus corresponding to the first and second information, and a time period for permitting the operation.

Claim 32 (previously presented) The apparatus according to claim 31, wherein the operation is receiving an incoming call.

Claim 33 (previously presented) The apparatus according to claim 31, wherein the first information is a country code of a home network of the mobile communication apparatus.

Appln. No.: 10/086,867

Reply to Office Action of January 10, 2006

Claim 34 (previously presented) The apparatus according to claim 31, wherein the operation is one of accepting an incoming call, ignoring an incoming call, forwarding an incoming call to a voice mail service, and recording a voice mail on the mobile communication apparatus.

Claim 35 (previously presented) A mobile communication apparatus, comprising:

one or more storage devices; and

a controller, wherein said controller is configured to:

determine a roaming status of said mobile communication apparatus by comparing network indication information stored in said one or more storage devices with broadcast network indication information received by said apparatus from a mobile network in which said mobile communication apparatus is located; and

set a future incoming call handling operation of said apparatus based on said controller-determined roaming status and a schedule stored in said one or more storage devices.

Claim 36 (previously presented) The apparatus of claim 35, wherein said one or more storage devices includes a removably-inserted memory card.

Claim 37 (previously presented) The apparatus of claim 35, wherein said controller is configured to cause said apparatus to display an indication of said roaming status.

Claim 38 (previously presented) The apparatus of claim 35, wherein said controller is configured to allow a user of said mobile communication apparatus to set a future incoming call handling operation for international roaming.